



INSTITUT BERGONIÉ

229 cours de l'Argonne
CS 61283 - 33076 Bordeaux cedex
www.bergonie.org



CENTRE RÉGIONAL DE LUTTE CONTRE LE CANCER DE BORDEAUX ET DU SUD-OUEST

The spectrum of myoepithelial tumours

Case report

- Woman 22 year old
- Pain
- Deep tumour of the foot



INSTITUT BERGONIÉ

229 cours de l'Argonne
CS 61283 - 33076 Bordeaux cedex



www.bergonie.org

CENTRE RÉGIONAL DE LUTTE CONTRE LE CANCER DE BORDEAUX ET DU SUD-OUEST

Case report





INSTITUT BERGONIÉ

229 cours de l'Argonne

CS 61283 - 33076 Bordeaux cedex

www.bergonie.org



UNICANCER





MEMBRE DU GROUPE

CENTRE RÉGIONAL DE LUTTE CONTRE LE CANCER DE BORDEAUX ET DU SUD-OUEST



Case report





Case report




Case report




Case report



Case report




AE1/AE3



S-100 protein

Case report



Diagnosis: myoepithelioma

EWSR1 FISH

Myoepithelial tumours

- Tumour composed of myoepithelial cells
- Specialized basal epithelial cell
- Ability to differentiate along many different cell lines

Spectrum of entities

Pleomorphic adenoma

Mixed tumour

Myoepithelioma



Carcinoma ex-pleomorphic adenoma

Myoepithelial carcinoma

Spectrum of locations

- Well recognized in salivary gland
- First series in soft tissue in 1997
- Second series in skin and soft tissue in 1999


Kilpatrick et al, Am J Surg Pathol 1997
Michal et al, Virch Arch 1999

Spectrum of locations


- Limb / extremities > 75%
- Trunk ≈ 10%
- Head and neck ≈ 10%
- Internal trunk
- Viscera (lung, breast)
- Bone

Kilpatrick et al, Am J Surg Pathol 1997
Hornick et al, Am J Surg Pathol 2003
Antonescu et al, GCC 2010

Spectrum of morphology




Epithelioid cell




Clear cell

Gleason et al, Am J Surg Pathol 2007

Spectrum of morphology



Spindle cell



Plasmacytoid cell

Gleason et al, Am J Surg Pathol 2007

Immunohistochemical profile

- Epithelial markers

Cytokeratin and/or EMA > 80%

- Neurogenic markers

S-100 protein > 90%


GFAP \approx 50%

- Myogenic markers


SMA \approx 50%

Calponin > 50%


Immunohistochemical profile




cytokeratin



EMA



S-100



GFAP

Behaviour

Benign tumour

???

Malignant tumour

Criteria for malignancy

- Cytologic atypia
- Mitotic activity $> 6/10$ HPF
- Necrosis
- Invasive growth pattern


Spectrum of genetic abnormalities

- *EWSR1* rearrangement > 50%
EWSR1-POU5F1 t(6,22)
EWSR1-PBX1 t(1,22)
EWSR1-ZNF444 t(19,22)
- *FUS* rearrangement : 1 case

Spectrum of genetic abnormalities

- *PLAG1* rearrangement > 50%
myoepithelioma of the skin or soft tissue
with ductal differentiation

Spectrum of genetic abnormalities



Spectrum of myoepithelial tumours

